

70



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/637,520	08/10/2000	Thomas Michael Walley	10001892-1	7579

22878 7590 10/21/2004

AGILENT TECHNOLOGIES, INC.  
INTELLECTUAL PROPERTY ADMINISTRATION, LEGAL DEPT.  
P.O. BOX 7599  
M/S DL429  
LOVELAND, CO 80537-0599

EXAMINER

KIBLER, VIRGINIA M

ART UNIT	PAPER NUMBER
----------	--------------

2623

DATE MAILED: 10/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/637,520

Applicant(s)

WALLEY ET AL.

Examiner

Virginia M Kibler

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 04 August 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/4/04 has been entered.

### ***Response to Amendment***

2. The amendment received on 8/4/04 has been entered and made of record. Claims 1 and 3-20 remain pending.
3. The objection to claim 16 has been withdrawn in view of Applicant's amendment.

### ***Claim Objections***

4. Claim 19 is objected to because of the following informalities: "b) a navigation sensor" should be changed to "c) a navigation sensor" on line 7 and "c) a navigation circuit" should be changed to "d) a navigation circuit" on line 10.

Appropriate correction is required.

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bohn et al. (US 6,207,945).

Regarding claim 20, Bohn et al. ("Bohn") discloses a method of imaging an object comprising:

a) capturing navigation images of an object by using a navigation sensor array 130, 132 (Col. 13, lines 14-45);

b) based on the navigation images, determining when to capture a sub-image of the object by using an imaging sensor array 280 having a plurality of pixels for imaging a portion of the object at one time (Col. 13, lines 46-50);

c) successively capturing a plurality of sub-images by using the imaging sensor array as imaging sensor array moves with respect to the object (Col. 13, lines 65-67, Col. 14, lines 1-2); and

d) generating a composite image of the object based on the captured portions of the object by using a processor-based application (Col. 13, lines 65-67, Col. 14, lines 1-6); wherein the single sensor chip is integrated with the navigation engine and a navigation sensor array (Col. 14, lines 10-24).

Art Unit: 2623

While Bohn discloses the imaging sensor array moving with respect to the object, it would have been obvious to one of ordinary skill in the art to have modified the movement to include the object moving with respect to the imaging sensor array because it is well known in the art and performs the same function of scanning portions of the object. Therefore, it would have been obvious to modify Bohn to obtain the invention as specified in claim 20.

7. Claims 1, 4, 5, 9-12, 15, and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (US 6,643,389) in view of Blalock et al. (US 5,729,008).

Regarding claim 1, Raynal discloses a fingerprint imager for capturing an image of a fingerprint including a single sensor integrated circuit having an imaging array 13 having

a) an imaging array having a plurality of sensors arranged along a first axis (Figures 1 and 2) for capturing a sub-image of the fingerprint at one time (Col. 3, lines 31-37), wherein the fingerprint is moved with respect to the imaging array in a direction that is generally perpendicular to the first axis (Col. 3, lines 48-50; Figures 1 and 2); and

b) a mechanism 19 for determining a change in the position of the fingerprint with respect to time and controlling the image capture of the imaging array (Col. 4, lines 7-14) that includes

b1) a navigation sensor 19 for capturing navigation information of a portion of the fingerprint as the fingerprint moves with respect to the navigation sensor (Col. 3, lines 48-60); and

b2) a navigation circuit 27, coupled to the navigation sensor, for controlling when the navigation sensor captures navigation information for receiving the information and based thereon for determining the amount of movement of fingerprint (Col. 4, lines 1-14).

Raynal discloses controlling the image capture of the imaging array including determining the amount of movement of the fingerprint (Col. 4, lines 7-14), but does not disclose capturing navigation images or specify determining the amount of movement along a first and second axis. However, Blalock et al. ("Blalock") discloses that it is well known to determine navigation information using images rather than using a mechanically movable means (Col. 2, lines 6-19). Blalock discloses an imaging array 22 as well as a navigation array 24 and navigation circuit (Figures 2 and 3) in an imaging device wherein the navigation array captures navigation images and the navigation circuit determines the amount of movement along a first axis and a second axis that is perpendicular to the first axis (Figure 1; Col. 5, lines 10-19; Col. 8, lines 21-30).

Raynal and Blalock are combinable because they are from similar problem solving area of capturing an image. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified determining fingerprint movement means disclosed by Raynal to include capturing images to determine movement information along a first and second axis. The motivation for doing so would have been because it replaces a mechanically movable means which reduces the maintenance required for the imager. It is further submitted that the Applicant has disclosed that Blalock describes an exemplary implementation of the navigation engine and the navigation sensor array (Specification, page 8, lines 17-20). Therefore, it would have been obvious to combine Raynal with Blalock to obtain the invention as specified in claim 1.

Art Unit: 2623

Regarding claim 4, the arguments analogous to those presented above in claim 1 are applicable to claim 4. Blalock discloses the imaging array 22 is separate from the navigation array 24 (Figure 2).

Regarding claim 5, Raynal discloses a plurality of sensors of the imaging array is capacitive-type sensors (Col. 3, lines 38-47). Raynal does not disclose the type of plurality of sensors of the navigation array. However, Blalock discloses the navigation array including a plurality of optical-type sensors (Col. 8, lines 30-53). At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified the mechanism for determining a change in the position of the fingerprint disclosed by Raynal to include specifying a type of the plurality of sensors of the navigation array. The motivation for doing so would have been because the types of sensors are well known in the art and routinely utilized for navigation. Therefore, it would have been obvious to combine Raynal with Blalock to obtain the invention as specified in claim 5.

Regarding claim 9, Raynal discloses the finger being moved along a physical surface (Col. 3, lines 48-50).

Regarding claim 10, Raynal does not appear to specify the pixel size of the sensors of the imaging array is different from the navigation array. However, it would have been an obvious matter of design choice to specify different pixel size of the sensors in both the imaging array and the navigation array because it is well known in the art to choose pixel size according to the precision needed.

Regarding claim 11, Raynal discloses the pixel size of the sensors of the imaging array having the dimensions of about 50 microns (Col. 3, lines 38-47), but does not specify the pixels

Art Unit: 2623

of the sensors of the navigation array having dimensions of about 20 microns. However, it would have been an obvious matter of design choice to specify the pixel size of the sensors in the navigation array having smaller dimensions because it will yield higher precision in determining the change in position.

Regarding claim 12, Raynal discloses the resolution of the sensors of the imaging array and the navigation array is about 500 dpi (Col. 3, lines 38-60).

Regarding claim 15, Raynal discloses employing the change in position to selectively control when the imaging array captures the sub-images (Col. 4, lines 1-14), thereby an imaging array strobe generator. Raynal further discloses receiving the sub-images and the movement information for each sub-image relative to a previous sub-image and based thereon generates a composite image of the fingerprint (Col. 5, lines 37-46) and analyzing the composite image to generate minutia and compares the generated minutia to previously stored minutia (Col. 4, lines 30-39), and grants access to a resource if the generated minutia matches one of the previously stored minutia (Col. 1, lines 13-19). Raynal does not appear to specify including a processor. However, Blalock teaches that it is known to include a processor to generate a composite image of the object based on the sub-images and the movement information. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified the generation of composite image disclosed by Raynal to include using a processor. The motivation for doing so would have been because it is well known in the art to use stitching software to create an electronic image of the object. Therefore, it would have been obvious to combine Raynal with Blalock to obtain the invention as specified in claim 15.



Art Unit: 2623

Regarding claim 17, Raynal discloses a rectangular imaging array sensor (Col. 3, lines 28-47). While Raynal does not specify using a 1 by N sensor array, it would have been obvious in light of Raynal's disclosure to have modified the rectangular sensor array to a 1 by N sensor array because it require less space and thereby minimize the size.

Regarding claim 18, Raynal does not appear to disclose a P by Q navigation sensor array. However, Blalock discloses a navigation array as a P by Q sensor array (Figure 3). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the mechanism for determining a change in the position disclosed by Raynal to include a P by Q navigation sensor array because it allows for the change in position to be detected in two directions.

Regarding claim 19, Raynal discloses an imager for capturing an image of an object 17 including

- a) a surface having an axis (Figure 1), wherein the object is moved in a first direction relative to the axis of the surface;

- b) an imaging sensor array having a plurality of sensors arranged along a first axis for imaging a portion of a fingerprint at one time in response to an asserted imaging sensor array signal (Col. 3, lines 33-47; Col. 4, lines 1-14);

- c) a navigation sensor 19 for obtaining movement information of the object in response to an asserted navigation sensor strobe signal (Col. 3, lines 48-60; Col. 4, lines 1-14); and

- d) a navigation circuit 27, coupled to the navigation sensor, for receiving navigation information and based thereon determining the amount of movement of a finger (Col. 4, lines 1-14);

wherein the imager is integrated in a single chip (Col. 4, lines 30-39).

Raynal discloses determining the amount of movement of the fingerprint (Col. 4, lines 7-14), but does not appear to recognize a navigation circuit for receiving images and determining the amount of movement in a first and second direction. However, Blalock et al. ("Blalock") discloses that it is well known to determine navigation information using images rather than using a mechanically movable means (Col. 2, lines 6-19). Blalock discloses an imaging array 22 as well as a navigation array 24 and navigation circuit (Figures 2 and 3) in an imaging device wherein the navigation array captures navigation images and the navigation circuit determines the amount of movement along a first axis and a second axis that is perpendicular to the first axis (Figure 1; Col. 5, lines 10-19; Col. 8, lines 21-30).

Raynal and Blalock are combinable because they are from similar problem solving area of capturing an image. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified determining fingerprint movement means disclosed by Raynal to include capturing images to determine movement information along a first and second axis. The motivation for doing so would have been because it replaces a mechanically movable means which reduces the maintenance required for the imager. It is further submitted that the Applicant has disclosed that Blalock describes an exemplary implementation of the navigation engine and the navigation sensor array (Specification, page 8, lines 17-20). Therefore, it would have been obvious to combine Raynal with Blalock to obtain the invention as specified in claim 19. Note, the claim language recites both an object (lines 2, 8) and a fingerprint (lines 5, 11). As claimed, the object is not necessarily the fingerprint.

Art Unit: 2623

8. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (US 6,643,389) and Blalock et al. (US 5,729,008) as applied to claim 1 above, and further in view of Bohn et al. (US 6,207,945).

Regarding claim 3, Raynal and Blalock do not appear to recognize the imaging array and the navigation array sharing at least one sensor. However, Bohn teaches that it is known for the imaging array and the navigation array to share at least one sensor (Figure 7; Col. 14, lines 10-14). At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified the imaging array and the navigation array disclosed by Raynal and Blalock to include sharing at least one sensor. The motivation for doing so would have been because it allows the navigation array to be integrated into the imaging array thereby reducing the size of the imager and alleviating problems associated with locating the navigation sensors a distance from the imaging array (Col. 8, lines 45-53). Therefore, it would have been obvious to combine Raynal and Blalock with Bohn to obtain the invention as specified in claim 3.

9. Claims 13, 14, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (US 6,643,389) and Blalock et al. (US 5,729,008) as applied to claim 1 above, and further in view of Akizuki (US 6,360,004).

Regarding claim 13, Raynal does not appear to recognize the imager as a stand-alone unit. However, Akizuki teaches that it is known to implement a fingerprint sensor as a touch pad, or a stand-alone unit, wherein the fingerprint imager further comprises a capacitive sensor (Col. 2, lines 62-67) having a surface along which a finger is moved 4 and an assembly for housing the capacitive sensor (Col. 2, lines 17-20). At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified the imager disclosed by

Art Unit: 2623

Raynal and Blalock to be implemented as a stand-alone unit. The motivation for doing so would have been because it is suitable for portable use. Therefore, it would have been obvious to combine Raynal and Blalock with Akizuki to obtain the invention as specified in claim 13.

Regarding claim 14, the arguments analogous to those presented above for claim 13 are applicable to claim 14. Note, Akizuki discloses a touch pad, thereby a PC peripheral.

Regarding claim 16, the arguments analogous to those presented above for claim 13 are applicable to claim 16. Akizuki discloses a processor 5 (Figure 1) and a cursor control software which when executing on the processor receives the movement information from the navigation engine and uses the movement information to control the cursor (Col. 3, lines 47-51). At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have modified the imager disclosed by Raynal and Blalock to include the cursor control. The motivation for doing so would have been because it provides a dual function thereby eliminating the need for two separate sensors. Therefore, it would have been obvious to combine Raynal and Blalock with Akizuki to obtain the invention as specified in claim 16.

10. Claims 6-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Raynal et al. (US 6,643,389) and Blalock et al. (US 5,729,008) as applied to claim 1 above, and further in view of Brownlee (US 6,282,303).

Regarding claim 6, Raynal does not recognize a stand-alone unit including optics. However, Brownlee teaches that it is known to include a fingerprint imager implemented in a stand-alone unit 910 in Figure 9 (Col. 2, lines 28-29) including optics for focusing light onto the surface (Abstract, lines 3-5) and an optics assembly 211 for housing the optics (Figure 2). At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have

Art Unit: 2623

modified the fingerprint imager disclosed by Raynal and Blalock to a stand-alone unit including optics. The motivation for doing so would have been because it is well known in the art and provides a compact device suitable for portable use. Therefore, it would have been obvious to combine Raynal and Blalock with Brownlee to obtain the invention as specified in claim 6.

Regarding claim 7, the arguments analogous to those presented above in claim 6 are applicable to claim 7. Note, Brownlee discloses the fingerprint imager implemented in a PC peripheral (Figure 9).

Regarding claim 8, the arguments analogous to those presented above for claim 7 are applicable to claim 8. Brownlee discloses the PC peripheral device as a mouse, thereby a cursor pointing device (Figure 9).

### ***Response to Arguments***

11. Applicant's arguments with respect to claims 1, 19, and 20 have been considered but are moot in view of the new grounds of rejection.

### ***Contact Information***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Virginia M Kibler whose telephone number is (703) 306-4072.

The examiner can normally be reached on Mon-Thurs 8:00 - 5:30 and every other Friday.

Art Unit: 2623

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Virginia Kibler can be reached on (703) 306-4072. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

*Virginia Kibler*  
Virginia Kibler  
10/12/04

MEHRDAD DASTOURI  
PRIMARY EXAMINER

*Mehrdad Dastouri*